

WHAT IS CLAIMED IS:

5

1. An information reproducing method comprising the steps of:

reading information from an information medium that is rotated; and

10

determining a rotation velocity of the information medium on the basis of a data transfer rate based on a specification of a read request.

15

2. An information reproducing method comprising the steps of:

20

reading information from an information medium that is rotated; and

measuring an average transfer rate in data read and lowering a rotation velocity of the information medium if the average transfer rate measured is equal to or lower than a predetermined threshold value.

25

5 3. An information reproducing method comprising the steps of:

reading information from an information medium that is rotated; and

measuring an average transfer rate in data read and raising a rotation velocity of the information medium if the average transfer rate measured is greater than a predetermined threshold value.

15

4. An information reproducing method comprising the steps of:

reading information from an information medium that is rotated;

20 measuring an average transfer rate in data read and raising a rotation velocity of the information medium if the average transfer rate measured is greater than a predetermined threshold value; and

25 lowering the rotation velocity if the average transfer rate is equal to or lower than the predetermined threshold value.

5 5. The information reproducing method as claimed in
any of claims 2 to 4, further comprising the steps of:

 monitoring whether the read request is issued; and

 restarting measurement of the average transfer rate if
the read request is not issued for a predetermined time in
10 measurement of the average transfer rate.

15 6. The information reproducing method as claimed in
any of claims 2 to 4, further comprising the steps of:

 monitoring a read address of the read request; and

 restarting measurement of the average transfer rate if
the read address is arranged in a formation other than an increasing
20 order.

25 7. The information reproducing method as claimed in

any of claims 2 to 4, further comprising the steps of:

determining validity of the average transfer rate on the basis of average transfer rates obtained a number of times of measurement; and

validating the average transfer rate if the average transfer rates obtained a number of times of measurement are close to each other.

10

8. The information reproducing method as claimed in claim 4, wherein a first threshold value which is one of said predetermined threshold value and is used for raising the rotation velocity of the information medium is greater than a second threshold value which is another one of said predetermined threshold value and is used for lowering the rotation velocity of the information medium.

20

9. The information reproducing method as claimed in any of claims 2 through 4, further comprising the steps of:

temporarily storing information read from the

25

information medium in a cache memory;

pre-reading information if a space is available in the cache memory; and

causing measurement of the average transfer rate to be
5 initiated when the cache memory is full of data and the pre-reading of information is completed in a case where information is read from the information medium at a maximum rate.

10

10. An information reproducing apparatus comprising:

a motor rotating an information medium;

an optical pickup reading information from the
15 information medium; and

a part determining a rotation velocity of the information medium on the basis of a data transfer rate based on a specification of a read request.

20

11. An information reproducing apparatus comprising:

a motor rotating an information medium;

an optical pickup reading information from the
25

information medium;

a measuring part measuring an average transfer rate in data read;

a comparing part comparing the average transfer rate measured with a predetermined threshold value; and

a rotation velocity control part lowering a rotation velocity of the information medium by the motor if a result of comparison shows that the average transfer rate measured is equal to or lower than a predetermined threshold value.

10

12. An information reproducing apparatus comprising:

15

a motor rotating an information medium;

an optical pickup reading information from the information medium;

a measuring part measuring an average transfer rate in data read;

20

a comparing part comparing the average transfer rate measured with a predetermined threshold value; and

a rotation velocity control part raising a rotation velocity of the information medium by the motor if a result of comparison shows that the average transfer rate measured exceeds a predetermined threshold value.

25

B₁

5

13. An information reproducing apparatus comprising:
a motor rotating an information medium;

an optical pickup reading information from the
information medium;

10

a measuring part measuring an average transfer rate in
data read;

a comparing part comparing the average transfer rate
measured with a predetermined threshold value; and

15

a rotation velocity control part lowering a rotation
velocity of the information medium by the motor if a result of
comparison shows that the average transfer rate measured is equal
to or lower than a predetermined threshold value and raising the
rotation velocity if the result of comparison shows the average
transfer rate measured exceeds the predetermined threshold value.

20

14. The information reproducing apparatus as claimed
in any of claims 11 through 13, further comprising:

25

a monitoring part monitoring whether the read request is

issued; and

a restarting part restarting measurement of the average transfer rate if the read request is not issued for a predetermined time in measurement of the average transfer rate.

5

15 The information reproducing apparatus as claimed
10 in any of claims 11 through 13, further comprising:

a monitoring part monitoring a read address of the read request; and

a restarting part restarting measurement of the average transfer rate if the read address is arranged in a formation other than
15 an increasing order.

20 16. The information reproducing apparatus as claimed
in any of claims 11 to 13, further comprising:

a determining part determining validity of the average transfer rate on the basis of average transfer rates obtained a number of times of measurement; and

25 a validating part validating the average transfer rate if

the average transfer rates obtained a number of times of measurement are close to each other.

5

17. The information reproducing apparatus as claimed in claim 13, wherein a first threshold value which is one of said predetermined threshold value and is used for raising the rotation velocity of the information medium is greater than a second threshold value which is another one of said predetermined threshold value and is used for lowering the rotation velocity of the information medium.

15

18. The information reproducing apparatus as claimed in any of claims 11 to 14, further comprising:

20

a storing part temporarily storing information read from the information medium in a cache memory;

a pre-reading part pre-reading information if a space is available in the cache memory; and

25

a part causing measurement of the average transfer rate to be initiated when the cache memory is full of data and the pre-

reading of information is completed in a case where information is
read from the information medium at a maximum rate.

B

1. The first of these is the rate at which the information is read from the information medium. This rate is determined by the rate at which the information is read from the information medium. The rate at which the information is read from the information medium is determined by the rate at which the information is read from the information medium.